



HACCP Digital Probe Lab Thermometer With 1.65m Cabled Probe

Product Images



Short Description

A high quality digital cabled probed thermometer with high accuracy, which conforms to HACCP specifications for food safety requirements. Fast and accurate, the unit is IP65 rated so it can also withstand water jets, making it easy to keep clean.

The unit can display current temperature as well as highest and lowest readings. The unit has a hold function, optical and acoustic alarm. These can be set to sound when a certain high or low temperature had been reached. An icon will flash and a beeper alarm will sound.

The cable is a good size length, measuring 1.65meters and the penetration probe itself is 105mm long. The base has a detachable stand and the back has a magnet allowing it to be fixed to metal.

TFA are a German company who have been a manufacturer and supplying temperature equipment for over 50 years and we have been an authorised supplier in the UK for over 12 years. They offer only high quality products that conform to UK and European standards.

Description

Technical Specification

- Temperature range: -40°C to 200°C
- Resolution: 0.1°C
- Accuracy: +/-0.5°C at 0 to 50°C
- Accuracy: +/-1°C at -20 to 0°C, and 51 to 70°C
- Accuracy: +/-2°C at -40 to -20°C, and 70 to -200°C
- Penetration probe length 105mm
- Probe cable length 1.65 metre cable
- Min/Max function
- Measurement in either: °C or °F
- Adjustable alarm function for min or max when desired temperature is reached
- Conforms to HACCP food specifications
- IP65 Waterproof under water jets
- Detachable stand
- Magnetic back
- Dimensions: 51 × 87 × 18mm
- Warranty: 1-Year
- Manufacturer: TFA

Additional Information

Brand	TFA Dostmann
Humidity	no
Temperature	yes
Temperature Sensor	no
Wet Bulb	no
Clip-On	no
Humidity Range	no
Probe Type	Cable Probe
Cable Length	1.65 Meters
Auto Switch Off	yes
Hold Function	yes
HACCP Compliant	yes
Min/Max Readings	yes
Warranty	1 Year
Calendar	no
Calibration	Can Be Calibrated
Dew Point	no
Weatherproof	no
Water Resistant	no
Waterproof	yes
Solar Light	no
Protective Case	no
Probe Temperature	yes
Handheld	yes
Dual Display	no
Cabled Probe	yes

Temperature Resolution	+/- 0.1°C
Probe Length	105mm
Humidity Sensor	no
Comfort Level Indicator	no
Moon Phase	no
Backlight	no
Indoor Temperature	no
Indoor Humidity	no
Clock	no
Transmission Range	no
Transmission Frequency	no
Temperature Range	-40 to 200°C
Temperature Accuracy	+/- 0.5°C
Measuring Units	°C & °F
Humidity Resolution	no
Humidity Accuracy	no
Power	Battery
IP Rating	IP65
Outdoor Temperature	no
Size : Depth	1.8cm
PC Connection	no
Touch Screen	no
Min/Max Reset	yes
Dew Point Alarm	no
High/Low Humidity Alarm	no
High/Low Temp Alarm	yes
Outdoor Humidity	no

Size : Height	5.1cm
Size : Width	8.7cm
Data Storage	Stores Min/Max Temperatures Since Last Manual Reset

Additional Options

Temperature Calibration Certificate	2 Point Temperature Calibration (0°C / 60°C)
	2 Point Temperature Calibration (please specify temperature points)
	1 Point Temperature Calibration (0°C)