



# HACCP Professional Min/Max Thermometer 110mm Probe With 60cm Cable

#### **Product Images**



#### **Short Description**

Highly accurate hand held thermometer with large display and 11cm stainless steel temperature probe that is HACCP compliant. The unit is IP65 rated so it can also withstand water jets, making it east to keep clean by washing under a running tap.

The unit has a handy on/off switch, and an auto-off function, which over rides the unit after 15 minutes of inactivity to save battery life. There is also a function that enables the user to easily toggle between Centigrade and Fahrenheit at the click of a button. The selected measuring unit remains active even after the unit has been switched off.

The min/max function is activated by pressing the mode button. This will display minimum and maximum readings taken since the unit was last reset.

TFA are a German company who have been a manufacturer and supplying temperature equipment for over 50 years and we have been an authorised supplier in the UK for over 12 years. They offer only high quality products that conform to UK and European standards.

#### **Description**

#### **Technical Specification**

- Temperature Range: -40°C to 200°C
- Accuracy: +/-0.5°C at -25 to 150°C, otherwise +/-1.5°C
- Resolution: 0.1°C
- Min/Max with hold function
- Auto 15 minute shut-off
- Conforms to HACCP food specifications
- IP65 Waterproof under water jets
- Heat resistant cable up to 80°C
- Dimensions: H 110 x W 93 x D20mm
- Battery: 2 x AAA battery (Included)
- Warranty: 1-Year
- Manufacturer: TFA

### **Additional Information**

| Brand              | TFA Dostmann      |
|--------------------|-------------------|
| Humidity           | no                |
| Temperature        | yes               |
| Temperature Sensor | no                |
| Wet Bulb           | no                |
| Clip-On            | no                |
| Humidity Range     | no                |
| Probe Type         | Penetration Probe |
| Cable Length       | 0.60 Meters       |
| Auto Switch Off    | yes               |
| Hold Function      | yes               |
| HACCP Compliant    | yes               |
| Min/Max Readings   | yes               |
| Warranty           | 1 Year            |
| Calendar           | no                |
| Calibration        | Can Be Calibrated |
| Dew Point          | no                |
| Weatherproof       | no                |
| Water Resistant    | no                |
| Waterproof         | yes               |
| Solar Light        | no                |
| Protective Case    | no                |
| Probe Temperature  | yes               |
| Handheld           | yes               |
| Dual Display       | no                |
| Cabled Probe       | yes               |
|                    |                   |

| Temperature Resolution  | +/- 0.1°C    |
|-------------------------|--------------|
| Probe Length            | 110mm        |
| Humidity Sensor         | no           |
| Comfort Level Indicator | no           |
| Moon Phase              | no           |
| Backlight               | no           |
| Indoor Temperature      | no           |
| Indoor Humidity         | no           |
| Clock                   | no           |
| Transmission Range      | no           |
| Transmission Frequency  | no           |
| Temperature Range       | -40 to 200°C |
| Temperature Accuracy    | +/- 0.5°C    |
| Measuring Units         | °C & °F      |
| Humidity Resolution     | no           |
| Humidity Accuracy       | no           |
| Power                   | Battery      |
| IP Rating               | IP65         |
| Outdoor Temperature     | no           |
| Size : Depth            | 2cm          |
| PC Connection           | no           |
| Touch Screen            | no           |
| Min/Max Reset           | yes          |
| Dew Point Alarm         | no           |
| High/Low Humidity Alarm | no           |
| High/Low Temp Alarm     | no           |
| Outdoor Humidity        | no           |
|                         |              |

| Size : Height | 11cm  |
|---------------|---|
| Size : Width  | 9.3cm   |
| Data Storage  | Stores Min/Max Temperatures Since Last Manual Reset |

## **Additional Options**

| Temperature Calibration<br>Certificate | 2 Point Temperature Calibration (0°C / 60°C)                        |
|--|---|
|  | 2 Point Temperature Calibration (please specify temperature points) |
|  | 1 Point Temperature Calibration (0°C)                               |