



Professional Temperature & Humidity Data Logger (With USB Cable)

Product Images



Short Description

Professional Temperature & Humidity Data Logger (With USB Cable)

Description

This temperature station can record up to 50,000 sets of data and transmit them via the wireless USB receiver (included) to your PC.

Recording intervals can be set at 1, 5, 10, 15, 30 minutes or 1, 2, 3, 6 hours. So recording every 1 minute would give you 34 days worth of data before a download was required. Or once every hour would give you well over 5 years of data before the data would need downloading

Free software is included and this will allow you to view the information in various formats as well as export it as a CSV file for use within spreadsheets, etc.

Each extra wireless sensor can be set up with it's own unique name in the software so it it easy to identify.

The wireless sensors are weather proof so they can be mounted outdoors and transmit up to 100 meters.

The base unit offers high and low alarms for both temperature and humidity, these alarm thresholds can be set to the users requirements.

This unit also has the option of switching an external circuit on and off. Using a standard jack plug plugged into the back you can connect it to your own wiring circuit. Maximum of 24 volt DC.

Dewpoint can also be displayed for the base unit or any of the sensors.

Technical Specification

Temperature

Range: 0°C to 50°CAccuracy: +/- 1°C

• Measure Units: °C and °F

Humidity

• Range: 1% rh to 99% rh

• Accuracy: +/- 3% rh

Minimum / Maximum

• Reset: Manual

Dew Point

• Dew Point indication function

Alarms

- Temperature High-Low Alarm
- Humidity High-Low Alarm

Data-Logging

• Can store up to 50 000 measurements

Calibration

• Unit can be calibrated upon request

PC Connection

• PC Software and USB receiver included

Transmission

- Type: Wireless when used with optional additional sensors (30-3180-IT or 30-3181-IT)
- Transmitter: Up to 8 wireless outdoor transmitters can be used

Time

- Radio Controlled Clock
- Display: 12 or 24 hour

Dimensions

- Dimensions: H 137 x W 98 x D26mm
- Weight: 430 grams

Battery

• 3 x AA (included)

Manufacturer

• Manufacturer: TFA

Additional Information

Brand	TFA Dostmann	
Temperature	yes	
Humidity	yes	
Temperature Sensor	Not Included (Can Be Purchased Separately)	
Warranty	1 Year	
Auto Switch Off	no	
Hold Function	yes	
Probe Type	no	
HACCP Compliant	no	
Calendar	yes	
Min/Max Readings	yes	
Humidity Sensor	Not Included (Can Be Purchased Separately)	
Dew Point	yes	
Calibration	Can Be Calibrated	
Temperature Resolution	+/- 0.1°C	
Water Resistant	no	
Readings Time Stamp	yes	
Protective Case	no	
Probe Temperature	no	
Cabled Probe	no	
Average Values Indicator	no	
Comfort Level Indicator	no	
PC Connection	yes	
Size : Depth	2.5cm	
Outdoor Temperature	Yes (Sensor Sold Separately)	
Moon Phase	no	

Backlight	no	
Power	Battery	
Humidity Resolution	1%rh	
Indoor Humidity	yes	
Clock	Radio Controlled	
Max Wireless Sensors	8	
Transmission Range	100m Open Field	
Temperature Range	0 to 50°C	
Temperature Accuracy	+/- 1°C	
Recording Intervals	Adjustable From 1 Second to 24 Hours	
Size : Height	13.8cm	
Size : Width	9.8cm	
Touch Screen	no	
Min/Max Reset	yes	
Dew Point Alarm	no	
High/Low Humidity Alarm	yes	
High/Low Temp Alarm	yes	
Outdoor Humidity	Yes (Sensor Sold Separately)	
Measuring Units	%, °C & °F	
Indoor Temperature	yes	
Indoor Temperature Range	0°C to +50°C	

Additional Options

Base does not include sensors - add up to 8 extras	Add 1st Sensor
	Add 2nd Sensor
	Add 3rd Sensor
	Add 4th Sensor
	Add 5th Sensor
	Add 6th Sensor
	Add 7th Sensor
	Add 8th Sensor